## EAST Search History

| Ref # | Hits   | Search Query  | DBs                                      | Default<br>Operator | Plurals | Time Stamp          |
|-------|--------|---|--|---------------------|---------|---------------------|
| S1    | 1      | 10/789,775  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>08:25 |
| S2    | 1      | "5999931".pn.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>09:42 |
| S3    | 0      | replication and<br>(message with<br>dependec\$4)  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>11:54 |
| S4    | 0      | replicat\$4 and<br>(message with<br>dependec\$4)  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>11:55 |
| S5    | 210    | replicat\$4 and<br>(message with<br>dependenc\$4)   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>12:39 |
| S6    | 118    | asynchronous and<br>replicat\$4 and<br>(message with<br>dependenc\$4)                             | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>12:53 |
| S8    | 92     | S5 not S6   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>13:42 |
| S9    | 1777   | ((break\$3 or brok\$3)<br>with message) same<br>transmit\$4                                       | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>13:43 |
| S10   | 378    | (((break\$3 or brok\$3)<br>with message) same<br>transmit\$4) and<br>asynchron\$4                 | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>13:43 |
| S11   | 149    | (((break\$3 or brok\$3)<br>with message) same<br>transmit\$4) and<br>asynchron\$4 and<br>database | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>13:44 |
| S12   | 685560 | "111" not S5  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>13:44 |
| S13   | 147    | S11 not S5  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>15:19 |
| S14   | 3      | parallel adj row adj<br>change  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR                  | ON      | 2006/12/18<br>15:20 |

| S15         | 37  | Bourbonnais.in.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/18<br>15:22 |
|-------------|-----|--|--|----|----|---------------------|
| S16         | 15  | Bourbonnais.in. and message  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/18<br>15:22 |
| S17         | 559 | (transaction adj<br>message) and<br>asynchronous   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/18<br>15:23 |
| S18         | 2   | (transaction adj<br>message) and<br>asynchronous adj<br>replication  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>08:20 |
| S19         | 1   | (transaction adj<br>message) same (buffer<br>with size)  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>08:21 |
| S20         | 16  | (transaction adj<br>message) same (buffer<br>with (size or length or<br>limit))                            | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>08:51 |
| S21         | 113 | (transaction with<br>message) same (buffer<br>with (size or length or<br>limit))                           | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>08:58 |
| S22         | 92  | (transaction with<br>message) same (buffer<br>with (size or length or<br>limit)) and queue                 | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>08:58 |
| S23         | 51  | (transaction with<br>message) same (buffer<br>with (size or length or<br>limit)) and queue and<br>database | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>09:07 |
| S24         | 63  | (transaction with<br>message) same (buffer<br>with (size or length or<br>limit)) and database              | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>09:07 |
| <b>S</b> 25 | 12  | S24 not S23  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>09:46 |
| S26         | 33  | segmentat\$4 same<br>(transaction with<br>message) and<br>database and queue                               | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>09:49 |
| S27         | 163 | (fragment\$6 or<br>segment\$6) same<br>(transaction with<br>message) and<br>database and queue             | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>08:33 |

| S28         | 115  | ((fragment\$6 or<br>segment\$6) with<br>message) same<br>(transaction with<br>message) and<br>database and queue                         | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>17:11 |
|-------------|------|--|--|----|----|---------------------|
| S29         | 26   | database with source<br>with destination with<br>(duplicat\$4 replicat\$4)<br>and (transaction near3<br>message record)                  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>13:34 |
| S30         | 13   | database with source with destination with (duplicat\$4 replicat\$4) and (transaction near3 (message record))                            | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>15:59 |
| S31         | 28   | replication adj key  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>15:01 |
| S32         | 199  | asynchronous and<br>(parallel with<br>replication)   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>16:22 |
| S33         | 135  | asynchronous and<br>(parallel with<br>replication) and<br>database   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>16:23 |
| S34         | 94   | asynchronous and<br>(parallel with<br>replication) and<br>database and<br>transaction  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>16:23 |
| <b>S</b> 35 | 43   | asynchronous and (parallel with replication) and database and (transaction with message)   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>10:54 |
| S36         | 97   | ((fragment\$6 or segment\$6) with message) same (transaction with message) and database and queue and (replicat\$4 duplicat\$4 back\$up) | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/19<br>17:12 |
| S37         | 1192 | asynchronous and<br>(replicat\$ duplicat\$)<br>and database and<br>(transaction near3<br>(message record))                               | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>08:35 |

| S38         | 744 | asynchronous and<br>(replicat\$ duplicat\$)<br>and database and<br>(transaction near3<br>(message record)) and<br>queue               | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>08:42 |
|-------------|-----|---|--|----|----|---------------------|
| <b>S</b> 39 | 350 | asynchronous and (replicat\$ duplicat\$) and database and (transaction near3 (message record)) and queue and (control with table)     | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>08:44 |
| S40         | 503 | asynchronous and (replicat\$ duplicat\$) and database and (transaction with (message record)) and queue and (control with table)      | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>08:43 |
| S41         | 236 | asynchronous and (replicat\$ duplicat\$) and database and (transaction near3 (message record)) and queue and (control near3 table)    | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>10:55 |
| S42         | 40  | (asynchronous with (replicat\$ duplicat\$)) and database and (transaction near3 (message record)) and queue and (control near3 table) | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>08:59 |
| S43         | 80  | (asynchronous with<br>(replicat\$ duplicat\$))<br>and database and<br>(transaction near3<br>(message record)) and<br>queue            | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>08:59 |
| S44         | 40  | S43 not S42   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>08:59 |
| S45         | 2   | asynchronous and (parallel with replication) and database and (transaction with message) and (receiv \$3 adj queue)                   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>10:55 |

| S46 | 358 | asynchronous and (replicat\$ duplicat\$) and database and (transaction near3 (message record)) and queue and (receiv\$3 with queue)         | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>10:55 |
|-----|-----|---|--|----|----|---------------------|
| S47 | 358 | asynchronous and (replicat\$ duplicat\$) and database and (transaction near3 (message record)) and (receiv\$3 with queue)                   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>10:56 |
| S48 | 68  | asynchronous and (replicat\$ duplicat\$) and database and (transaction near3 (message record)) and (receiv\$3 adj queue)                    | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>12:05 |
| S49 | 6   | (asynchronous with<br>(replicat\$ duplicat\$))<br>and database and<br>(transaction near3<br>(message record)) and<br>(receiv\$3 adj queue)  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>12:07 |
| S50 | 52  | (asynchronous with<br>(replicat\$ duplicat\$))<br>and database and<br>(transaction near3<br>(message record)) and<br>(receiv\$3 with queue) | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>12:10 |
| S51 | 35  | (asynchronous with<br>(replicat\$ duplicat\$))<br>and database and<br>(transaction near3<br>(message record)) and<br>(de\$queue)            | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2006/12/20<br>12:11 |
| S52 | 52  | synchroniz\$7 same<br>transaction same hold<br>\$4 same messag\$4   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/24<br>15:58 |
| S53 | 0   | (dependenc\$4 with<br>message) same<br>transaction same<br>synchroniz\$7  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/11<br>13:33 |
| S54 | 19  | (dependenc\$4 with<br>messag\$4) same<br>transaction and<br>synchroniz\$7   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/11<br>13:52 |
| S55 | 1   | "20030041074"   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/11<br>13:57 |

| S56 | 1     | "20030177194"   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/11<br>13:58 |
|-----|-------|---|--|----|----|---------------------|
| S57 | 2     | "20020049776"   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/11<br>13:58 |
| S58 | 53767 | (transaction task) same<br>depend\$8  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/24<br>15:59 |
| S59 | 5343  | (transaction task) same<br>depend\$8 same messag<br>\$4                                     | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/24<br>15:59 |
| S60 | 79    | (transaction task) same<br>depend\$8 same messag<br>\$4 same resolv\$4                      | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/24<br>16:08 |
| S61 | 90    | (transaction task) same<br>depend\$8 same (table<br>row) same resolv\$4                     | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/24<br>16:08 |
| S62 | 76    | S61 not S60   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/25<br>16:43 |
| S63 | 4     | 09/642,534  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/05/25<br>16:43 |
| S64 | 126   | (messag\$4 with queue)<br>same dependenc\$6   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>12:08 |
| S65 | 1647  | messag\$4 with<br>dependenc\$6  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>12:08 |
| S66 | 177   | messag\$4 adj<br>dependenc\$6   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>12:09 |
| S67 | 38    | (messag\$4 adj<br>dependenc\$6) and<br>synchroniz\$5  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:08 |
| S68 | 0     | (messag\$4 with dependenc\$6) and (messag\$4 with hold \$4) and (messag\$4 with copmlet\$4) | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:09 |
| S69 | 157   | (messag\$4 with dependenc\$6) and (messag\$4 with hold \$4) and (messag\$4 with complet\$4) | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:34 |
| S70 | 1     | "5758333".pn.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:24 |

| S71 | 869  | non with complet\$4<br>with messag\$4   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:32 |
|-----|------|---|--|----|----|---------------------|
| S72 | 13   | (non with complet\$4<br>with messag\$4) same<br>dependenc\$6                                | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:32 |
| S73 | 301  | (messag\$4 with dependenc\$6) and (messag\$4 with wait \$4) and (messag\$4 with complet\$4) | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:38 |
| S74 | 4063 | dependent with updat<br>\$4   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:39 |
| S75 | 262  | (dependent with updat<br>\$4) same messag\$4  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:39 |
| S76 | 181  | (dependent with updat<br>\$4) same messag\$4<br>and (hold\$4 wait\$4)                       | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:45 |
| S77 | 568  | first with messag\$4<br>with dependen\$6  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:45 |
| S78 | 0    | first with messag\$4<br>with dependen\$6 and<br>(non with copmlet\$4<br>with transaction)   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:46 |
| S79 | 1    | first with messag\$4<br>with dependen\$6 and<br>(non with complet\$4<br>with transaction)   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/04<br>13:46 |
| S80 | 55   | first with messag\$4<br>with dependen\$6 and<br>(complet\$4 with<br>transaction)            | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>08:32 |
| S81 | 1    | 10/650904   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>09:04 |
| S82 | 74   | transaction adj<br>dependenc\$4   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>10:09 |
| S83 | 22   | (transaction adj<br>dependenc\$4) and<br>queue  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>09:05 |
| S84 | 21   | (transaction adj<br>dependenc\$4) and key<br>and (insert\$4 updat\$4)                       | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>10:16 |
| S85 | 30   | replication adj key   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>10:21 |

| S86  | 2056 | transaction same updat<br>\$4 same key                     | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>10:26 |
|------|------|--|--|----|----|---------------------|
| S87  | 45   | transaction same updat<br>\$4 same key same<br>dependen\$4 | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>14:21 |
| S88  | 329  | transaction same updat<br>\$4 same key and<br>dependency   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>10:38 |
| S89  | 72   | S88 and "707".clas.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>12:17 |
| S90  | 33   | S88 and hash and<br>"707".clas.                            | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>12:37 |
| S91  | 1248 | compare with hash<br>with value                            | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>12:37 |
| S92  | 3048 | compar\$4 with hash<br>with value                          | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>12:37 |
| S93  | 1092 | (compar\$4 with hash<br>with value) same key               | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>12:39 |
| S94  | 86   | S93 and "707".clas.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>12:42 |
| S95  | 573  | compar\$4 with hash<br>with value with key                 | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>12:42 |
| S96  | 58   | S95 and "707".clas.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>12:42 |
| S97  | 1    | "6029177".pn.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/06/05<br>14:21 |
| S98  | 118  | (transaction near2<br>messag\$4) same<br>dependen\$9       | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2007/11/21<br>12:52 |
| S99  | 4365 | 707/201  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>15:14 |
| S100 | 1781 | 707/201.ccls.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>15:14 |
| S101 | 9    | non\$complet\$4 adj<br>message                             | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>15:18 |

| S102 | 9    | non adj complet\$4 adj<br>message               | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>15:18 |
|------|------|---|--|----|----|---------------------|
| S103 | 17   | non adj complet\$4 adj<br>transaction           | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>15:19 |
| S104 | 1306 | 707/8.ccls.                                     | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>15:37 |
| S105 | 474  | 718/101.ccls.                                   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>15:54 |
| S106 | 753  | 719/313.ccls.                                   | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>15:59 |
| S107 | 86   | (message with dependency).clm.                  | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>16:07 |
| S108 | 9    | (message with dependency with transaction).clm. | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>16:09 |
| S109 | 48   | (message with hold\$4<br>with transaction).clm. | US-PGPUB;<br>USPAT; EPO;<br>JPO; IBM_TDB | OR | ON | 2008/02/14<br>16:13 |

3/26/2008 4:27:08 PM

C:\ Documents and Settings\ agofman1\ My Documents\ EAST\ Workspaces\ 10\_789775-Bourbonnais.wsp